

Opale

Switches with Satin Finish




Schneider Electric India Pvt. Ltd.

Corporate office

9th Floor, DLF Building No. 10,
Tower C, DLF Cyber City, Phase II,
Gurgaon - 122002, Haryana
Tel: 0124 3940400, Fax: 0124 4222036
www.schneider-electric.co.in

Customer Care Centre

Toll-free numbers: 1800 180 1707, 1800 103 0011
General number: 0124 4222040
Email: customer care.in@schneider-electric.com






Schneider Electric, is among the largest and world's leading manufacturer of electrical products today. It ranks among the top three brands in the Electrical Wiring Devices Accessory manufacturers in the world.

OPALE Range of wiring accessories, has been designed by the international designers, keeping in mind the local market and its needs. The range gives the freedom of choice and flexibility of user to customer.

This vast range includes switches, socket outlets, a large range of allied products and data and communication products for residential, commercial, hotel and industrial applications.

Features:

- » Satin finish.
- » Easy to clean surface.
- » Child-proof sockets.
- » IP 20 degree of protection.
- » Captive screws indented.
- » Ease of installation.
- » Smooth operation.
- » Zero contact error.



Switches

The switches are designed to conform to IS 3854:1997. The moving contacts are riveted and have silver inlay design. The switches are X-rated for fluorescent loads. The rocker is made of special material for longer life and can withstand high temperature. The mechanisms are very easy to install, just snap it on the grip plate and they are ready to use.

Telephone/TV/Data outlets


This mechanism comes in single module for ease of installation and flexibility. Twin RJ11, also available in single module. RJ 45 socket contacts are Gold plated, suitable for Cat 6. LAN Cables.

Dimmers/Fan Regulator

Fan regulators come with five distinct steps for five different speeds and are totally hum free. Our range includes specially designed regulators, dimmers for incandescent & halogen light ensuring safety and long life (not applicable to CFL & electronic transformers).

Sockets

The sockets are designed to conform to IS 1293:1988 and are suitable for AC and DC circuits having voltages up to 250V. All the sockets are IP 20 protected and flame retardant. The shutter ensures that the sockets are 'Child Proof'. The 6A Socket is specially designed to take in different pin configurations thus ensures rigid contact for even charger plugs.





» X1001-WH, X1101-WH
X1002-WH, X1102-WH



» X1081-WH
X1181-WH



» X1021-WH
X1121-WH



» X1028-WH, X1128-WH,
X1286-WH, AAKX1232-WH

Switches

Description	Ref Code for WH	Ref Code for CG	Std. Packing
6A 1-way	X1001-WH	AAKY1001	10
6A 1-way with/ indicator lamp	X1081-WH	AAKY1081	10
6A 2-way	X1002-WH	AAKY1002	10
16A 1-way	X1101-WH	AAKY1101	10
16A 1-way with/ indicator lamp	X1181-WH	AAKY1181	10
16A 2-way	X1102-WH	AAKY1102	10
6A 1-way switch, 2 module	X1021-WH	AAKY1021	10
6A 1-way switch, 2 module	X1121-WH	AAKY1121	10
6A 1-way switch, 2 module, with indicator	X1028-WH	AAKY1028	10
16A 1-way switch, 2 module, with indicator	X1128-WH	AAKY1128	10
20A DP with/ indicator lamp	X1286-WH	AAKY1286	10
32A DP with/ indicator lamp	AAKX1232-WH		10



» X2005-WH



» X2007-WH



» X2010-WH



» X2103-WH



» X2106-WH



» X2403-WH

Socket

Description	Ref Code for WH	Ref Code for CG	Std. Packing
6A 2-pin/3-pin (shuttered)	X2005-WH	AAKY2005	10
6A "Uni sokcet" (shuttered)	X2007-WH	AAKY2007	10
16A 3-pin (shuttered)	X2103-WH	AAKY2103	10
6A/16A 3-pin (shuttered)	X2106-WH	AAKY2106	10
13A BS flat pin (shuttered)	X2403-WH	AAKY2403	10
20A 3-pin socket Outlet (shuttered)	X2206-WH	AAKY2206	10
25A 3-pin sokcet Outlet (shuttered)	X2207-WH	AAKY2207	10
13A multi pin socket (shuttered)	X2010-WH	AAKY2010	10



» X3004-WH



» X3012-WH



» X3104-WH



» X3200-WH

Dimmer/Fan Regulator

Description	Ref Code for WH	Ref Code for CG	Std. Packing
Dimmer 400W	X3004-WH	AAKY3004	5
Dimmer 1200W	X3012-WH	AAKY3012	5
Step type fan regulator	X3200-WH	AAKY3200	5
Dimmer 400W in Single Module	X3104-WH	AAKY3104	10



» X1186WH

Motor Starter Switch

Description	Ref Code for WH	Ref Code for CG	Std. Packing
25A Motor Stater Switch	X1186WH	AAKY1186	



» X4010-WH



» X4011-WH



» X4020-WH



» X4045-WH



» X4500-WH

Data/TV/Communication

Description	Ref Code for WH	Ref Code for CG	Std. Packing
RJ11 (no shutter)	X4010-WH	AAKY4010	10
RJ11 (shuttered)	X4011-WH	AAKY4011	10
Twin RJ 11 (no shutters) 1M	X4020-WH	AAKY4020	10
RJ 45 (shuttered)	X4045-WH	AAKY4045	10
TV socket	X4500-WH	AAKY4500	10
2-pin telephone socket	X4601-WH	AAKY4601	10
2-pin telephone plug	X4611-WH	AAKY4611	10
RJ 45 cover for ket stone type	X4050-WH	AAKY4050	10
Cover for CAT6 AVAYA Jack	X4145-WH	AAKY4145	10
Gripped Cord Outlet	X4550-WH	AAKY4550	10

Note: WH-White, CG-Coke Grey



» X1005-WH



» X1025-WH



» X1085-WH

Bell Push

Description	Ref Code for WH	Ref Code for CG	Std. Packing
6A bell push	X1005-WH	AAKY1005	10
6A bell push (2M size)	X1025-WH	AAKY1025	10
6A bell push w/ indicator	X1085-WH	AAKY1085	10
6A bell push w/ indicator (2M size)	X1086-WH	AAKY1086	10



» X3300-WH



» X0001-WH



» X0002-WH



» X5001



» X5002



» X5003

Buzzer

Description	Ref Code for WH	Ref Code for CG	Std. Packing
Buzzer	X3300-WH	AAKY3300	1

Blank Off

Blank off unit (1M)	X0001-WH	AAKY0001	10
---------------------	----------	----------	----

Adaptor Plate for H30 mech

Adaptor Plate for 30 mech series Mechanism	X0002-WH	AAKY0002	20
--	----------	----------	----

Neon Phase Indicator


Neo phase indicator red	X5001		10
Neo phase indicator green	X5002		10
Neo Phase indicator yellow	X5003		10



» X0701-WH



» X0702-WH



» X0733-WH



» X0703-WH



» X0704-WH



» X0706-WH



» X0708-WH



» X0709-WH



» X0712-WH



» AAKX0718-WH


Cover+Grid Frame

Description	Ref Code for WH	Ref Code for CG	Std. Packing
1-2M Grid Frame & 1M Cover Frame	X0701	AAKY0801	10
1-2M Grid Frame & 2M Cover Frame	X0702	AAKY0802	10
3M Grid Frame & 3M Cover Frame	X0703	AAKY0803	10
3M Universal Grid Frame & 3M Universal Cover Frame	X0733	AAKY0833	10
4M Grid Frame & 4M Cover Frame	X0704	AAKY0804	10
6M Universal Grid Frame & 3M Cover Frame	X0706	AAKY0806	5
8M Grid Frame & 8M Cover Frame-Linear	X0708	AAKY0808	5
8M Grid Frame & 8M Cover Frame-Square	X0709	AAKY0809	5
12M Grid Frame & 12M Cover Frame	X0712	AAKY0812	5
**18M Grid Frame & 18M Cover Frame	AAKX0718		5

Metal Boxes

Description	1mm.		0.8mm.
	Ref Code for WH	Std. Packing	Ref Code
Metal Box 1 & 2 module	GR1102	60	GE0102
Metal Box 3 module	GR1103	45	GE0103
Metal Box 4 module	GR1104	30	-
Metal Box 6 module	GR1106	20	GE0106
Metal Box 8 module-Linear	GR1108	15	-
Metal Box 8 module-Square	GR1109	20	-
Metal Box 12 module	GR1112	10	-
Metal Box 18 module	GR1118	10	-

Note: WH-White, CG-Coke Grey



Colour plate



» Matt Silver



» Matt Gold

	Matt Silver	Matt Gold
1 Module Grid and Cover frame	AAKX0741	AAKX0751
2 Module Grid and Cover frame	AAKX0742	AAKX0752
3 Module Grid and Cover frame	AAKX0743	AAKX0753
3 Module Universal Grid and Cover frame	AAKX0744	AAKX0754
4 Module Grid and Cover frame	AAKX0745	AAKX0755
6 Module Grid and Cover frame	AAKX0746	AAKX0756
8 Module Grid and Cover frame-Linear	AAKX0747	AAKX0757
8 Module Grid and Cover frame-Square**	AAKX0748	AAKX0758
12 Module Grid and Cover frame **	AAKX0749	AAKX0759

** Non-stockable item. Delivery shall take four weeks.

Hotel Series



Description	Ref Code*	Std. Packing
DND Panel	AAKX6001	10
DND Switch	AAKX6002	10
MMR Panel	AAKX6003	10
MMR Switch	AAKX6004	10
Keytag Swith, 20A	AAKX6005	1
Shaver Socket++	AAKX6006	1

*Available in White colour Only
 ++Suitable Box size is X0103